

VERSATILE & ECONOMICAL

Ideal for chemically aggressive environments with operating temperatures up to 190°F (87°C) or below.

EXCELLENT CHEMICAL RESISTANCE

High resistance to a broad range of acids and alkalis.

FIT FOR MULTIPLE INDUSTRIES

Highly suitable for numerous filtration processes.



HYDROPHOBIC

Won't absorb moisture or promote mold.



LOWER OPERATING TEMPERATURES

Supports applications with operating temperatures up to 190°F (87°C).

FEATURES

- Naturally hydrophobic.
- Excellent Hydrolysis Resistance.
- Resistance to a broad range of chemicals.
- 100% virgin premium fibers.
- Fits any baghouse to specification.
- Quality assurance under the strictest protocols to ASTM standards.

OPTIONS

- Water-Repellent Treatment
- Oil Repellent Treatment
- E-PTFE Membrane
- Scrim Supported
- Glazed

- Singed
- Wear Strips
- Non-Woven Cuff
- Woven Cuff
- NFPA Wire

APPLICATIONS

- Chemicals
- Pulp and paper
- Liquid Filtration

- Food and Beverage
- Milling











FABRIC PROPERTIES

100% Polypropylene

Abrasion Resistance	Very Good
Acid Resistance	Excellent
Alkali Resistance	Excellent
Oxidation Resistance	Moderate
Operating Temperature	190°F (87°C)
Surge Temperature	210°F (98°C)
Investment	\$\$



Contact Albarrie's Technical Sales Expert for all your options.

PRODUCT GALLERY







Disclaimer. Information provided by Albarrie on this sales sheet ("Sheet") is for general information purposes only. All information on the Sheet is provided in good faith, however Albarrie makes no representation or warranty of any kind, express or implied, regarding the accuracy, adequacy, validity, reliability, availability or completeness of any information on the Sheet. Products may not work as advertised or perform differently based on application, operating conditions, and depend on chemical, thermal, and humidity and other factors.







FOLLOW US ON SOCIAL MEDIA



